

## Recycling Passport

<b>Product name:</b>	BuckyDiagnost FS		
<b>Identification code</b>	9890-010-83651		
<b>Order No.</b>			
<b>Device Type</b>	B2B (Business to business)		
<b>Producer /Manufacturer</b>	Company name:	Philips Medical Systems DMC GmbH	
	Address:	Roentgenstrasse 24	
	Zip code:	22335 Hamburg	
	Country:	Germany	
	Web info:	See Philips Intranet	
<b>Total weight (in Kg) thereof</b>			<b>328 Kg – 499 Kg</b>

Version:Stand FS-S Code-No.4512-201-01841			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	246,664	KG
	iron, high alloy (>5%)	8,087	KG
<b>steel, iron</b>		<b>254,751</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	38,079	KG
	copper, -alloy	2,266	KG
	zinc, -alloy	0,507	KG
	molybdenum, -alloy	0,5	KG
<b>nonferrous metals and alloys</b>		<b>41,352</b>	<b>KG</b>
glass / ceramics	glass	0,2	KG
<b>glass / ceramics</b>		<b>0,2</b>	<b>KG</b>
plastics / organic substances	elastomer	6,14	KG
	oil	3,8	KG
	thermoplastic	2,848	KG
	thermoset	1,764	KG
	lubricating grease	0,003	KG
<b>plastics / organic substances</b>		<b>14,555</b>	<b>KG</b>
standard parts	cables	55,016	KG
	brakes / clutches	4,09	KG
	power supplies / transformers	2,7	KG
	wheels / castors	0,58	KG
	printed circuit boards	0,57	KG
	mounting parts, attaching part	0,428	KG
	other electronic powered devic	0,356	KG
	computers and accessories	0,109	KG
<b>standard parts</b>		<b>63,849</b>	<b>KG</b>
relevant materials	lead and -compounds (cables an	3,8	KG
	tungsten and -compounds	0,08	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3,88</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>378,587</b>	<b>KG</b>

Printed copies are uncontrolled documents

# Recycling Passport

 Printed copies are  
uncontrolled documents

Version:Stand FS-ST Code-No.4512-201-01851			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	251,564	KG
	iron, high alloy (>5%)	8,087	KG
<b>steel, iron</b>		<b>259,651</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	38,079	KG
	copper, -alloy	2,259	KG
	zinc, -alloy	0,506	KG
	molybdenum, -alloy	0,5	KG
<b>nonferrous metals and alloys</b>		<b>41,344</b>	<b>KG</b>
glass / ceramics	glass	0,2	KG
<b>glass / ceramics</b>		<b>0,2</b>	<b>KG</b>
plastics / organic substances	elastomer	6,015	KG
	oil	3,8	KG
	thermoplastic	2,848	KG
	thermoset	1,764	KG
	lubricating grease	0,003	KG
<b>plastics / organic substances</b>		<b>14,43</b>	<b>KG</b>
standard parts	cables	55,016	KG
	brakes / clutches	4,09	KG
	other electronic powered devic	3,056	KG
	wheels / castors	0,78	KG
	printed circuit boards	0,57	KG
	mounting parts, attaching part	0,428	KG
	computers and accessories	0,109	KG
	<b>standard parts</b>		<b>64,049</b>
relevant materials	lead and -compounds (cables an	3,8	KG
	tungsten and -compounds	0,08	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3,88</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>383,554</b>	<b>KG</b>

Version:Stand FS-STT Code-No.4512-201-01861			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	336,114	KG
	iron, high alloy (>5%)	8,087	KG
<b>steel, iron</b>		<b>344,201</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	38,079	KG
	copper, -alloy	2,268	KG
	zinc, -alloy	0,527	KG
	molybdenum, -alloy	0,5	KG
<b>nonferrous metals and alloys</b>		<b>41,374</b>	<b>KG</b>
glass / ceramics	glass	0,2	KG
<b>glass / ceramics</b>		<b>0,2</b>	<b>KG</b>
plastics / organic substances	elastomer	6,571	KG
	oil	3,8	KG
	thermoplastic	3,648	KG
	thermoset	1,764	KG
	lubricating grease	0,003	KG
<b>plastics / organic substances</b>		<b>15,786</b>	<b>KG</b>
standard parts	cables	48,446	KG
	other electronic powered devic	9,056	KG

## Recycling Passport

	motors, pumps	5,8	KG
	brakes / clutches	4,09	KG
	power supplies / transformers	2,7	KG
	printed circuit boards	0,72	KG
	mounting parts, attaching part	0,428	KG
	computers and accessories	0,109	KG
<b>standard parts</b>		<b>71,349</b>	<b>KG</b>
relevant materials	lead and -compounds (cables an	3,8	KG
	tungsten and -compounds	0,08	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3,88</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>476,79</b>	<b>KG</b>

Version:Stand FS-F Code-No.4512-201-02091			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	200,818	KG
	iron, high alloy (>5%)	8,087	KG
<b>steel, iron</b>		<b>208,905</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	25,687	KG
	copper, -alloy	2,251	KG
	molybdenum, -alloy	0,5	KG
	zinc, -alloy	0,34	KG
<b>nonferrous metals and alloys</b>		<b>28,778</b>	<b>KG</b>
glass / ceramics	glass	0,2	KG
<b>glass / ceramics</b>		<b>0,2</b>	<b>KG</b>
plastics / organic substances	elastomer	4,196	KG
	oil	3,8	KG
	thermoset	1,764	KG
	thermoplastic	1,718	KG
	lubricating grease	0,003	KG
<b>plastics / organic substances</b>		<b>11,481</b>	<b>KG</b>
standard parts	cables	55,016	KG
	power supplies / transformers	2,7	KG
	brakes / clutches	2,4	KG
	printed circuit boards	0,57	KG
	mounting parts, attaching part	0,428	KG
	other electronic powered devic	0,356	KG
	wheels / castors	0,29	KG
	computers and accessories	0,109	KG
<b>standard parts</b>		<b>61,869</b>	<b>KG</b>
relevant materials	lead and -compounds (cables an	3,8	KG
	tungsten and -compounds	0,08	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3,88</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>315,113</b>	<b>KG</b>

Printed copies are  
uncontrolled documents

# Recycling Passport

Version: Stand FS-FS Code-No.4512-201-02101			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	216,518	KG
	iron, high alloy (>5%)	8,087	KG
<b>steel, iron</b>		<b>224,605</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	25,687	KG
	copper, -alloy	2,251	KG
	molybdenum, -alloy	0,5	KG
	zinc, -alloy	0,334	KG
<b>nonferrous metals and alloys</b>		<b>28,772</b>	<b>KG</b>
glass / ceramics	glass	0,2	KG
<b>glass / ceramics</b>		<b>0,2</b>	<b>KG</b>
plastics / organic substances	elastomer	4,8	KG
	oil	3,8	KG
	thermoplastic	3,648	KG
	thermoset	1,764	KG
	lubricating grease	0,003	KG
<b>plastics / organic substances</b>		<b>14,015</b>	<b>KG</b>
standard parts	cables	55,016	KG
	brakes / clutches	3,76	KG
	power supplies / transformers	2,7	KG
	printed circuit boards	0,57	KG
	mounting parts, attaching part	0,428	KG
	other electronic powered devic	0,356	KG
	wheels / castors	0,29	KG
	computers and accessories	0,109	KG
<b>standard parts</b>		<b>63,229</b>	<b>KG</b>
relevant materials	lead and -compounds (cables an	3,8	KG
	tungsten and -compounds	0,08	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3,88</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>334,701</b>	<b>KG</b>

Printed copies are uncontrolled documents

# Recycling Passport

Version:Stand FS-C Code-No.4512-201-02111			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	213,201	KG
	iron, high alloy (>5%)	8,087	KG
<b>steel, iron</b>		<b>221,288</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	33,217	KG
	copper, -alloy	2,252	KG
	molybdenum, -alloy	0,5	KG
	zinc, -alloy	0,339	KG
<b>nonferrous metals and alloys</b>		<b>36,308</b>	<b>KG</b>
glass / ceramics	glass	0,2	KG
<b>glass / ceramics</b>		<b>0,2</b>	<b>KG</b>
plastics / organic substances	elastomer	4,304	KG
	oil	3,8	KG
	thermoplastic	2,305	KG
	thermoset	1,764	KG
	lubricating grease	0,003	KG
<b>plastics / organic substances</b>		<b>12,176</b>	<b>KG</b>
standard parts	cables	56,216	KG
	power supplies / transformers	2,7	KG
	wheels / castors	0,58	KG
	printed circuit boards	0,57	KG
	mounting parts, attaching part	0,496	KG
	brakes / clutches	0,409	KG
	other electronic powered devic	0,356	KG
	computers and accessories	0,109	KG
	<b>standard parts</b>		<b>61,436</b>
relevant materials	lead and -compounds (cables an	3,8	KG
	tungsten and -compounds	0,08	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3,88</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>335,288</b>	<b>KG</b>

Printed copies are uncontrolled documents

## Recycling Passport

Option: manual collimation			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, high alloy (>5%)	3,527	KG
	iron, low alloy (<5%)	0,025	KG
<b>steel, iron</b>		<b>3,552</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	2,967	KG
	zinc, -alloy	0,73	KG
	copper, -alloy	0,01	KG
<b>nonferrous metals and alloys</b>		<b>3,707</b>	<b>KG</b>
glass / ceramics	glass	0,062	KG
<b>glass / ceramics</b>		<b>0,062</b>	<b>KG</b>
plastics / organic substances	thermoplastic	1,312	KG
	thermoset	0,074	KG
<b>plastics / organic substances</b>		<b>1,386</b>	<b>KG</b>
standard parts	mounting parts, attaching part	0,576	KG
	printed circuit boards	0,282	KG
	wheels / castors	0,2	KG
	cables	0,109	KG
	other electronic powered devic	0,099	KG
<b>standard parts</b>		<b>1,266</b>	<b>KG</b>
relevant materials	lead and -compounds (cables an	3	KG
	confirmed by supplier		
<b>relevant materials</b>		<b>3</b>	<b>KG</b>
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>12,973</b>	<b>KG</b>

Option: automatic collimation			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, high alloy (>5%)	0,102	KG
	iron, low alloy (<5%)	0,025	KG
<b>steel, iron</b>		<b>0,127</b>	<b>KG</b>
nonferrous metals and alloys	aluminum, -alloy	1,877	KG
	copper, -alloy	0,01	KG
<b>nonferrous metals and alloys</b>		<b>1,887</b>	<b>KG</b>
plastics / organic substances	thermoplastic	0,372	KG
<b>plastics / organic substances</b>		<b>0,372</b>	<b>KG</b>
standard parts	other electronic powered devic	8,86	KG
	printed circuit boards	0,547	KG
	mounting parts, attaching part	0,115	KG
	cables	0,064	KG
<b>standard parts</b>		<b>9,586</b>	<b>KG</b>
relevant materials	lead and -compounds (cables an	3,9	KG
<b>relevant materials</b>		<b>3,9</b>	<b>KG</b>
		<b>15,872</b>	<b>KG</b>





Printed copies are uncontrolled documents

## Recycling Passport

Option: Tracking (motor in the top of the column)			
Klasse	Merkmalbezeichnung	Gesamtgewicht	Gewichtseinheit
steel, iron	iron, low alloy (<5%)	3,603	KG
<b>steel, iron</b>		<b>3,603</b>	<b>KG</b>
nonferrous metals and alloys	zinc, -alloy	0,001	KG
<b>nonferrous metals and alloys</b>		<b>0,001</b>	<b>KG</b>
plastics / organic substances	thermoplastic	0,023	KG
	lubricating grease	0	KG
<b>plastics / organic substances</b>		<b>0,023</b>	<b>KG</b>
standard parts	motors, pumps	1,2	KG
	brakes / clutches	0,9	KG
	cables	0,498	KG
	printed circuit boards	0,27	KG
	other electronic powered devic	0,1	KG
<b>standard parts</b>		<b>2,968</b>	<b>KG</b>
relevant materials	confirmed by supplier		
<b>relevant materials</b>			
prohibited materials	confirmed by supplier		
<b>prohibited materials</b>			
		<b>6,595</b>	<b>KG</b>

Printed copies are  
uncontrolled documents

## Recycling Passport

<b>Recycle info</b>		
<b>General Hazards (Desinfection)</b>	For dismantling activities Treatment Facilities must consider the national requirements. For personnel which can come into contact with contaminated material, preventive measures pursuant to national requirements must be taken into account	
<b>Hazardous Substances</b>  <b>To be removed</b>	<b>Substances:</b>	<b>Location</b>
	Lead	Fig. 1 (1)
<b>Batteries</b>  <b>To be removed</b>	<b>Type:</b>	<b>Location</b>
<b>Special attention</b> 	<b>Item</b>	<b>Location</b>
<b>Fluids / Gases</b> 	<b>Item</b>	<b>Location</b>
	Oil tank / Remove oil before dismantling	Fig. 1 (1)
	HV-transformer oil contains no PCBs	

Printed copies are uncontrolled documents




# Recycling Passport

Locations as mentioned in the Passport ( Pictures information)

**Stand FS-S ; Stand FS-ST  
Stand FS-STT**

**Stand FS-C (Compact)**



Printed copies are  
uncontrolled documents

**Stand FS-FS (long arm, fix)**

**Stand FS-F (short arm, fix)**