
The real story behind

medical imaging radiation dose

As accuracy has improved, the use of imaging has increased. A large part of this is due to CT scans. Today in the US 1 in 5 people receive a CT scan each year, 1 in 20 of these scans are unnecessary.

Radiation dose isn't just an issue for patients.







Nearly 68 million CT scans

are performed annually in the US

Knowing how you might be exposed to radiation isn't enough.

You also need to know



0.1 µSv Eating a banana



0.4 µSv Natural radiation in the human body

how much.



10 µSv Background dose received on an average day



40 μSν Flight from New York to LA



<mark>20 μSν</mark> Chest X-ray



700 µSv Mammogram



8,000 µSv Average CT scan



14,000 μSv F-18 PET scan



15.800 µSv Fluoroscopic angiogram



50,000 µSv Maximum yearly dose permitted for US radiation workers






Even though the radiation dose is larger, CT scans can be far better diagnostic tools than conventional X-rays. In some cases, CT scans have negated the need for exploratory surgery.


The challenge is to balance the risk versus the benefit. This is called "justification".

Today, sophisticated imaging software can improve image quality at a low dose. By "optimizing" the scan the patient gets





only the dose needed



Education about the risks and benefits of medical imaging combined with new tools and protocols from the healthcare industry can help track and manage exposure for both healthcare workers and patients.





To learn more about managing dose, **visit www.philips.com**