<b>Product name</b>	HP PROCURVE 1810G-24 SWITCH						
	J9450A						
Identification code(s)	45980001377x	"HP PROCURVE 1810-24G SWITCH"					
Total weight [kg]	2 kg						
Manufacturer	Hewlett Packard						
Address	Startbaan 16						
Zip code	1187 XR Amstelveen						
Country	The Netherlands						
Electronic info							

### **TABLE OF CONTENTS:**

1.	Recycling information	l
2	I9450A < Disassembly Instructions>	)

# 1. Recycling information

The chapters below, contain the recycling information of one gigabit Ethernet switch:

• 45980001377x "HP PROCURVE 1810-24G SWITCH"

Name: Recycling Passpor	t HP Proc	urve 1800	)G-24	12NC: 4598 0	00 137	70	Version: <b>00</b> Doc.Date: <b>2010-02-08</b>	В
Author:			Pag.: <b>1</b> of <b>3</b>	Group No: 5790	Section: -		Status: Approved	

## 2. J9450A < Disassembly Instructions>



Product End-of-Life Disassembly Instructions

**Product Category:** 

Marketing Name / Model [List multiple models if applicable.]

ProCurve Networking Switch (J9450A)

**Purpose:** The document is intended for use by end-of-life recyclers or treatment facilities. It provides the basic instructions for the disassembly of HP products to remove components and materials requiring selective treatment, as defined by EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).

### 1.0 Items Requiring Selective Treatment

- 1.1 Items listed below are classified as requiring selective treatment.
- 1.2 Enter the quantity of items contained within the product which require selective treatment in the right column, as applicable.

Item Description	Notes	Quantity of items included in product
Printed Circuit Boards (PCB) or Printed Circuit Assemblies (PCA)	With a surface greater than 10 sq cm 2 in product, (Main board and Power supply)	2
Batteries	All types including standard alkaline and lithium coin or button style batteries	0
Mercury-containing components	For example, mercury in lamps, display backlights, scanner lamps, switches, batteries	0
Liquid Crystal Displays (LCD) with a surface greater than 100 sq cm	Includes background illuminated displays with gas discharge lamps	0
Cathode Ray Tubes (CRT)		0
Capacitors / condensers (Containing PCB/PCT)		0
Electrolytic Capacitors / Condensers measuring greater than 2.5 cm in diameter or height		0
External electrical cables and cords	Power cord	1
Gas Discharge Lamps		0
Plastics containing Brominated Flame Retardants		0
Components and parts containing toner and ink, including liquids, semi-liquids (gel/paste) and toner	Include the cartridges, print heads, tubes, vent chambers, and service stations.	0
Components and waste containing asbestos		0

Name: Recycling Passpor	t HP Proc	urve 1800	)G-24	12NC: 4598 0	00 137	70	Version: <b>00</b> Doc.Date: <b>2010-02-08</b>	В
Author:			Pag.: <b>2</b> of <b>3</b>	Group No: 5790	Section: -		Status: Approved	

Components, parts and materials containing refractory ceramic fibers	0
Components, parts and materials containing radioactive substances	0

#### 2.0 Tools Required

List the type and size of the tools that would typically be used to disassemble the product to a point where components and materials requiring selective treatment can be removed.

Tool Description	Tool Size (if applicable)
Screw driver for (cover)	Phillips head NO.2
Screw driver for (base)	Phillips head NO.2
Screw driver for (light-pipe)	Phillips head NO.1

#### **3.0 Product Disassembly Process**

- 3.1 List the basic steps that should typically be followed to remove components and materials requiring selective treatment:
- 1. Remove cover mounting screws use the Phillips no.2 screw driver .
- 2. Remove base mounting screws use the Phillips no.2 screw driver on main board PCBA and power supply
- 3. Remove light-pipe screws use the Phillips no.1 screw driver.
- 4. Separate base, PCBA, and power supply.
- 5.
- 6. 7.
- 8.
- 9.
- 10.
- 3.2 Optional Graphic. If the disassembly process is complex, insert a graphic illustration below to identify the items contained in the product that require selective treatment (with descriptions and arrows identifying locations).

# **END OF DOCUMENT**

Recycling Passport	t HP Proc	urve 1800	)G-24	12NC: 4598 0	00 137	70	Version: <b>00</b> Doc.Date: <b>2010-02-08</b>	В
Author:			Pag.: <b>3</b> of <b>3</b>	Group No: 5790	Section: -		Status: Approved	