





<b>Product name:</b>	NVC Base 1.5T		
<b>Identification code(s)</b>	4598-001-7121x		
<b>Total weight (in Kg)</b>	4.1 Kg		
<b>Producer /Manufacturer</b>	Name company:	Philips Healthcare Best	
	Address:	Veenpluis 4-6	
	Zip code:	5680DA Best	
	Country:	The Netherlands	
	Electronic info:	NVC Base 1.5T	


<b>Recycle info</b>	<b>Substances:</b>	<b>Location</b>
<b>Special attention</b> 	<b>Items:</b>	
	No special attention needed.	
 <b>Batteries</b> <b>To be removed</b>	<b>Type:</b>	<b>Location</b>
	No batteries present.	
<b>Hazardous</b>  <b>To be removed</b>		<b>Location</b>
	Nine pcb assemblies and one flexfoil pcb assembly	Figure 1
	Two so-called RXE modules: 45221330827x or 45980004622x (containing pcb assy)	Figure 2
	Six so-called RF traps (containing flexfoil pcb material)	Figure 3
	Twelve copper-beryllium spring contacts (mounted under protective cover)	Figure 4
 <b>Fluids / Gases</b>	<b>Items:</b>	<b>Location</b>
	No fluids and/or gases present.	

Name:	WEEE NVC Base 1.5T	12NC:	DMR148344	Version: 02
Author:		Group No: 5790	Section: -	Doc.Date: 2012-05-22
	Pag.: 1 of 3		Status: see Agile	

**Locations as mentioned in the Passport (Picture information)**




*Figure 1, NVC Base 1.5T pcb locations*




*Figure 2, NVC Base 1.5T RXE locations*

Name: WEEE NVC Base 1.5T		12NC: DMR148344		Version: 02 Doc.Date: 2012-05-22	
Author:		Pag.: 2 of 3	Group No: 5790	Section: -	Status: see Agile
© PHILIPS MEDICAL SYSTEMS NEDERLAND BV, BEST 2011				Template version 2.	



*Figure 3, NVC Base 1.5T, examples of RF trap locations*



*Figure 4, NVC Base 1.5T CuBe spring contact locations (under hatches)*

Name: WEEE NVC Base 1.5T		12NC: DMR148344		Version: 02 Doc.Date: 2012-05-22	
Author:		Pag.: 3 of 3	Group No: 5790	Section: -	Status: see Agile
© PHILIPS MEDICAL SYSTEMS NEDERLAND BV, BEST 2011				Template version 2.	